



## Max Series Angle Grinder

- With a lightweight composite housing and ergonomic design, the Max Series Angle Grinders are easier to work with for long periods of time
- Built-in lubricating wick optimizes the life of your angle gear set, while the safety guard protects you from debris, sparks and abrasives while you work
- Weight: 3.4 lbs.
- Length: 9.6"



Model No.	Mfg. No.	Air Consumption	Air Inlet	Wheel Size"	No Load RPM	Price /Each
UAE348	345MAX	10	1/4" NPT	4-1/2, 5	12000	

## Max Series Angle Grinder

- With a lightweight composite housing and ergonomic design, the Max Series Angle Grinders are easier to work with for long periods of time
- Built-in lubricating wick optimizes the life of your angle gear set, while the safety guard protects you from debris, sparks and abrasives while you work
- Wheel Type: 27 (Cutting), 1, 27, 41, 42 (Cutting)
- Output: 5/8" - 11
- Weight: 3.4 lbs.



Model No.	Mfg. No.	Air Consumption	Air Inlet	Wheel Size"	No Load RPM	Price /Each
UAE948	3445MAX	41 CFM	1/4" NPT	4-1/2	12000	

## M2 Series Angle Grinder

- Suited for heavier-duty grinding, cutting, cleaning, and polishing applications
- Speed-governed motors on this angle grinder helps maximize the life of abrasives, increasing grinder efficiency and improving productivity
- Quick-change spindle lock eliminates the need for additional tools
- Steel housing for superior durability
- Ergonomic handle with low-profile throttle lever designed for enhanced operator comfort, to reduce fatigue, and to improve productivity while using this angle grinder
- Motor controller prevents over-speeding and manages airflow for efficient use
- Wheel Thickness: 1/4"
- Output: 5/8" - 11
- Wheel Type: 27
- Weight: 3.76 lbs.



Model No.	Mfg. No.	Air Consumption	Air Inlet	Wheel Size"	No Load RPM	Price /Each
UAE950	M2A120RP105	17 CFM	3/8" NPT	5	12000	

## Right Angle Grinders

- Compact, yet powerful motor
- Reversible safety lever throttle
- Dual auxiliary handle positions
- Maximum material removal for a right angle grinder
- Streamlined all metal housing
- Performance rated @ 90 PSI / 620 kPa air pressure
- Air consumption: 15 CFM
- Air inlet: 1/2"
- No load RPM: 12 000



## Cleco

Model No.	Mfg. No.	Wheel Size"	Spindle Size	Motor Power HP	Price /Each
-----------	----------	-------------	--------------	----------------	-------------

### 1660 SERIES

TYM371	1660AGL-04	4	3/8"	1.6	
TYM374	1660AGL-45	4 1/2	5/8"	1.6	
TYM372	1660AGL-05	5	5/8"	1.6	
TYM373	1660AGL-05-M14	5	M14	1.6	

### 2260 SERIES

TYM396	2260AGL-06	6	5/8"	2.2	
TYM397	2260AGL-07	7	5/8"	2.2	

## Heritage 236 Series - Inline Grinders

- Abrasive capacity: 1" carbide burr or 2" wheel
- Engineered for heavy duty applications in the most demanding environment
- Robust and efficient 0.9 HP (0.7 kw) motor
- Lightweight and rugged alloy housing
- Performance rated @ 90 PSI / 620 kPa air pressure
- Air consumption: 16 CFM
- Air inlet: 1/4"
- Collet size: 1/4"



TYM407

## Cleco

Model No.	Mfg. No.	Exhaust Location	Tool Length"	No Load RPM	Price /Each
TYM407	236GLF-250-C4	Front	6.8	25 000	
TYM421	236GLR-250-C4	Rear	7.4	25 000	
TYM430	236GLS-240-C4	Side	6.8	24 000	

## Heritage 25 Series - Extended Grinders

- Powerful 1.4 HP (1.0 kw) motor
- Lightweight and rugged alloy housing
- Engineered for heavy duty applications in the most demanding environment
- Performance rated @ 90 PSI / 620 kPa air pressure
- Air consumption: 16 CFM
- Air inlet: 3/8"
- Tool length: 14.4"



TYM439

## Cleco

Model No.	Mfg. No.	Abrasive Capacity	Collet Size"	No Load RPM	Price /Each
TYM442	25GELC-180-C4	1" Carbide Burr or 2" Wheel	1/4	18 000	
TYM440	25GELC-140-P3T	1.25" Cone or Plug Wheel	3/8	14 000	
TYM439	25GELC-120-W3T4	4" Type 1	3/8	12 000	