

Trim® C270CG High-Performance Synthetic Coolant

- · Provides excellent cooling and chip settling
- Compatible with many materials including cast iron, steel, copper alloys, plastics and composites
- Ideal for grinding, drilling, tapping, and reaming operations without chlorine or sulfur based EP additives
- Low-foaming and misting
- **Excellent corrosion inhibition** on common ferrous alloys



| A STORY | Macket Chrid |
|---------|--------------|
| (3) | Master Fluid |
| 257 | SOLUTIONS |

AF459 gal. Type /Eac AF457 1 Jug AF458 5 Pail AF459 Drum

Trim® E206 Long-Life **Emulsion Coolant**

- Ideal for a wide range of machining operations on ferrous and non-ferrous materials
- Composed of extreme-pressure additives to control build-up edge

270

- Stable and fine emulsion leads to reduced carryoff
- Leaves a soft fluid film

AF460

| Model No. | Format gal. | Container Type | Price /Each |
|--------------|----------------|-------------------|----------------|
| AF465 | 1 | Jug | |
| AF466 | 5 | Pail | |
| AF467 | 54 | Drum | |
| AF468 | 270 | IBC Tote | |







Trim® C350 Premium Synthetic Coolant

- Synthetic coolant that is optimized to meet the requirements of the North American aerospace industry
- Improves the performance of most aluminum machining operations
- Clear fluid is easy to use and maintain
- Superior non-ferrous corrosion prevention on aluminum alloys
- Low-foaming and misting
- Achieves the lubricity of soluble oil without the oily residue

| Model No. | Format gal. | Container Type | Price /Each |
|--------------|----------------|-------------------|----------------|
| AF461 | 1 | Jug | |
| AF462 | 5 | Pail | |
| AF463 | 54 | Drum | |
| AF464 | 270 | IBC Tote | |





Trim® E850 Premium **Emulsion Coolant**

- · Easy-to-maintain metal removal fluid
- Composed of vegetable-based technology and premium lubricity additives
- Robust enough to last long while avoiding rancid odours usually associated with emulsions
- Ideal for use on difficult-to-machine alloys, exotics, stainless and high-tensile strength steels
- Boron and halogen-free

| Model No. | Format gal. | Container | Price /Each |
|--------------|----------------|-----------|----------------|
| NO. | yaı. | Type | /Eacii |
| AF469 | 1 | Jug | |
| AF470 | 5 | Pail | |
| AF471 | 54 | Drum | |
| AF472 | 270 | IBC Tote | |





Trim® Mist Synthetic **Misting Coolant**

- Provides rapid and effective cooling for cutting and grinding applications
- Keeps grinding wheels clean and free of loading
- Compatible with all ferrous metals, most non-ferrous metals, and most non-metallic materials
- Very low odour
- Does not leave slippery films on work pieces, machinery, or in surrounding areas

| Model No. | Format gal. | Container Type | Price /Each |
|--------------|----------------|-------------------|----------------|
| AF473 | 1 | Jug | |
| AF474 | 5 | Pail | |
| AF475 | 54 | Drum | |
| AF476 | 270 | IBC Tote | |






Trim® Microsol® 690XT Premium Semi-Synthetic Coolant

- High-lubricity, semi-synthetic, micro-emulsion coolant
- Achieves excellent cooling and mechanical lubricity
- Works very well in mixed metal situations
- Compatible with titanium, high nickel alloys, steels, copper and aluminum alloys Low-foaming
 - Contains no baron, halogen, nitrites, triazines,
- phenols, chlorinated or sulfurized EP additives

| Excellent corrosion inhibition on all | |
|---------------------------------------|--|
| | |
| ferrous and non-ferrous metals | |

| AF48 |
|------|
|------|





| | The state of the s | |
|-------|--|---------|
| 19 de | | |
| | Master | FIIIIU |
| (23) | HUJIGI | HULL |
| | SOLUT | IONS" |

Trim® Microsol® 585XT **Semi-Synthetic Coolant**

- High-lubricity, semi-synthetic, micro-emulsion coolant
- Achieves excellent cooling and mechanical lubricity
- Ideal for machining and grinding gray iron Works very well in mixed metal situations
- Low-foaming
- Excellent corrosion inhibition on all ferrous and non-ferrous metals
- Contains no nitrites, triazines, phenols, chlorinated or sulfurized EP additives

AF479

| Model | Format | Container | Price |
|-------|--------|-----------|-------|
| No. | gal. | Type | /Each |
| AF477 | 1 | Jug | |
| AF478 | 5 | Pail | |
| AF479 | 54 | Drum | |
| ΔF480 | 270 | IRC Tote | |





Trim® SC520 Semi-Synthetic Coolant

- General-purpose cutting and grinding fluid
- Ideal for multi-material and multi-operational shops
- Controls build-up edge and improves tool life in high-speed milling and turning operations
- Low odour and mist
- Compatible with a wide variety of materials including cast iron, steels, copper, aluminum alloys, most plastics and most composites

AF491





