



## NEMA Configuration



NOTE: DO NOT USE THESE HEATERS IN HAZARDOUS AREAS OR TO HEAT FLAMMABLE MATERIALS. FOR INDOOR USE ONLY.

## Flexible Drum & Pail Heaters

### Applications

- Preheating
- Viscosity control
- Mixing dipping or pouring
- Temperature control
- Freeze protection

### Features

- Durable and tough reinforced fiberglass silicone rubber
- Resists moisture, mildew and most chemicals
- Easy to clean and store
- Heavy-duty spring latch assembly, installs or removes in seconds
- 6' power cable w/ NEMA 5-15P plug for the 120 V models
- 6' bare end power cable for the 220 V models




Sold per Each

Description	Drum Material	Thermostat range						Price /Each
		70°-160°F		75°-205°F		75°-425°F		
		120 V	220 V	120 V	220 V	120 V	220 V	
<b>5 GAL. US</b>								
6" wide 300 W	Polyethylene	DC295	DC296	*	*	*	*	
3" wide 300 W	Metal	DC297	DC298	DC299	DC300	DC301	DC302	
<b>15 GAL. US</b>								
6" wide 375 W	Polyethylene	DC303	DC304	*	*	*	*	
3" wide 500 W	Metal	DC305	DC306	DC307	DC308	DC309	DC310	
<b>30 GAL. US</b>								
6" wide 500 W	Polyethylene	DC311	DC312	*	*	*	*	
3" wide 750 W	Metal	DC313	DC314	DC315	DC316	DC317	DC318	
<b>55 GAL. US</b>								
6" wide 750 W	Polyethylene	DC319	DC320	*	*	*	*	
3.25" wide 1000 W	Metal	DC321	DC322	DC323	DC324	DC325	DC326	
4.75" wide 1500 W	Metal	DC327	DC328	DC329	DC330	DC331	DC332	

\* Polyethylene pails should not be heated beyond 160°F

## Thermostat Control Heaters

- Heats materials with good heat receptivity
- Made of aluminized steel; conjunction box made of galvanized steel
- Increases flow rate of viscous material
- Reaches and maintains a given temperature
- Thermostat bulb senses temperature and controls pre-set heat
- Three-heat switch allows three wattage ratings per thermostat setting
- HIGH setting uses Max. Watts; MEDIUM, 1/2 Max. Watts; LOW, 1/4 Max. Watts
- Neon pilot light • 6' power cord



Model No.	Drum Cap. US Gal.	Drum Dia. "	Temp Range	Plug Type NEMA no.	Volts	Watts	Wt. lbs.	Price /Each
DA072	55	22 1/2	60-250°F	5-15	120	1750	15	
DA073	55	22 1/2	200-400°F	5-15	120	1750	15	
DA092	55	22 1/2	60-250°F	5-20	120	1920	15	
DA093	55	22 1/2	200-400°F	5-20	120	1920	15	
DA094	55	22 1/2	60-250°F	6-15	240	3000	15	
DA095	55	22 1/2	200-400°F	6-15	240	3000	15	
DA090	5	11 1/4	60-250°F	5-15	120	1500	5	
DA091	5	11 1/4	200-400°F	5-15	120	1500	5	
DA087	16	14 1/2	60-250°F	5-15	120	1500	8	
DA088	16	14 1/2	200-400°F	5-15	120	1500	8	

## Water Boil-Off Heaters



- For use with 45 imp. gal./55 US gal. steel drums only
- Features a 70-300°F thermostat range and a high limit cut off-switch that can be reset
- When water is reduced below the level of the heater the unit shuts off
- Plug type is NEMA no. 6-15
- 240 volts, 3000 watts, 6' power cord
- Weight: 14 lbs.



Model No. DA096  
Price/Each \$

## 5-Gallon Pail Heaters

- Economy 5-gallon heater is suitable for use with plastic and metal pails
- For light duty applications like increasing flow of viscous fluids or heating water
- Aluminized construction
- Adjustable strap clamp allows heater to fit pails with straight or tapered sides from 9 1/2" to 12" in diameter
- 120 V, 100 W
- 6' power cord with standard three pin grounded plug
- Weight: 5 lbs.



Model No. DA074  
Price/Each \$

## Plastic Drum Heaters


- Specifically designed to heat materials contained in polyethylene drums or pails
- Pre-set bimetal thermostat is mounted directly on heating band; activated with on-off switch
- Heat delivered to drum does not exceed 165°F
- 9" wide heating band on 45 imp. gal./55 US gal. model is double the width of standard heaters; increases heater surface area for a shorter heat-up time
- On-off indicator light
- 6' power cord



Model No.	Drum Cap. US Gal.	Drum Dia. "	Plug Type NEMA no.	Volts	Watts	Wt. lbs.	Price /Each
DA080	5	11 1/4	5-15	120	100	7	
DA081	55	22 1/2	5-15	120	800	15	

## Variable Cycle Control Heaters

- Designed to heat materials that have a tendency to burn or coke such as light oils, chemicals, food, and undercoating material
- Variable control cycles heat current on and off
- Ratio of 'time on' to 'time off' increases as setting switch is moved higher
- Cycling allows for a gentle heating of drum contents
- Three heat switch allows three wattage ratings per thermostat setting
- HIGH setting uses Max. Watts; MEDIUM, 1/2 Max. Watts; LOW, 1/4 Max. Watts
- Neon pilot light
- 6' power cord



Model No.	Drum Cap. US Gal.	Drum Dia. "	Plug Type NEMA no.	Volts	Watts	Wt. lbs.	Price /Each
DA084	5	11 1/4	5-15	120	1500	5	
DA082	16	14 1/2	5-15	120	1500	8	
DA085	55	22 1/2	5-20	120	1750	15	
DA086	55	22 1/2	6-15	240	3000	15	

## Value Heaters

- Sturdy aluminized steel construction outlasts and outperforms all silicone rubber heaters
- 0-550°F adjustable thermostat offers wide flexibility when heating contents of 45 imp. gal./55 US gal., 22 1/2" diameter steel drums
- Heavy duty, 6' grounded cordset plugs into standard 120 V outlets, 1250 W
- Weight: 8 lbs.



Model No. DA070  
Price/Each \$