


3M Abrasive Systems Division





CUBITR NII



Getting the job done takes skill, hard work and the right tools.

From start to finish, 3M[™] Abrasive Products deliver trusted solutions to meet customers' metalworking needs, while increasing productivity and efficiency.

Use this guide as a starting point when choosing the right 3M™ Abrasive Products.



Surface Preparation

Remove mill-scale, rust and paint to prepare surfaces for bevelling and welding.

3M offers innovative products, such as Scotch-Brite™ Clean and Strip Discs and Scotch-Brite™ Bristle Discs, to help make your job safe and easy.

Scotch-Brite[™] Clean and Strip XT Pro Discs

The Scotch-Brite™ Clean and Strip XT Pro Disc features silicon carbide mineral incorporated into an open nylon web. It effectively removes rust, paint, mill-scale, coatings and adhesives without altering the base metal. The high-strength fibres are highly conformable, resist chunking and loading, and perform well on the edges of a workpiece.

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Discs

Product Description	Tenaquip Part #
Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc S XCS, TR, Purple, 2 in x NH, 60 Per Case	NV472
Scotch-Brite™ Roloc™ Clean and Strip XT Pro Disc S XCS, TR, Purple, 3 in x NH, 40 Per Case	NV493

Scotch-Brite™ Clean and Strip XT Pro Discs, Type 27 Quick Change

Product Description	Tenaquip Part #
Scotch-Brite™ Clean and Strip XT Pro Disc S XCS, T27, Purple, Quick Change, 4 ½ in x % in-11, 10 Per Case	NV476
Scotch-Brite™ Clean and Strip XT Pro Disc S XCS, T27, Purple, Quick Change, 5 in x % in-11, 10 Per Case	NV478





Scotch-Brite™ Clean and Strip XT Pro Extra Cut Discs

The Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc features aluminum oxide mineral incorporated into an open nylon web. More aggressive than XT Pro, it cuts to bare metal quickly to clean and prepare metal surfaces in one step. Ideal for heavier work like removal of rust, pits, weld discolouration, paints and coatings.

Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Discs

Product Description	Tenaquip Part #
Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc A XCS, TR, Green, 2 in x NH, 60 Per Case	NV473
Scotch-Brite™ Roloc™ Clean and Strip XT Pro Extra Cut Disc A XCS, TR, Green, 3 in x NH, 40 Per Case	NV494

Scotch-Brite™ Clean and Strip XT Pro Extra Cut Discs Type 27 Quick Change

Product Description	Tenaquip Part #
Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc A XCS, T27, Green, Quick Change, 5 in x % in-11, 10 Per Case	NV479
Scotch-Brite™ Clean and Strip XT Pro Extra Cut Disc A XCS, T27, Green, Quick Change, 4 ½ in x ½ in-11, 10 Per Case	NV477





Scotch-Brite™ Bristle Discs

Scotch-Brite™ Bristle Discs, featuring moulded flexible bristles, provide more surface contact than wire brushes and maintain abrasive properties throughout the life of the discs.

These discs remove paint, stains, adhesives, weld burns, rust, heavy oxides and surface contaminants.



Help reduce your risk from wire wheels by switching to Scotch-Brite™ Bristle Discs.

Product Description	Tenaquip Part #
Scotch-Brite™ Bristle Disc BD-ZB, Green, 50 Grit, 4 ½ in x 5⁄6 in-11, 10 Per Case	BP079
Scotch-Brite™ Bristle Disc BD-ZB, Yellow, 80 Grit, 4 ½ in x 5⁄6 in-11, 10 Per Case	BP080
Scotch-Brite™ Bristle Disc BD-ZB, White, 120 Grit, 4 ½ in x 5⁄4 in-11, 10 Per Case	BP078





Scotch-Brite™ Roloc™ Bristle Discs

Combine Scotch-Brite™ Bristle Discs with the Roloc™ Attachment System to help you efficiently prepare substrates without damage to the base material.

Product Description	Tenaquip Part #
Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Green, 50 Grit, Tapered, 2 in x % in, 40 Per Case	BP109
Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Yellow, 80 Grit, Tapered, 2 in x % in, 40 Per Case	BP110
Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, White, 120 Grit, Tapered, 2 in x % in, 40 Per Case	BP108
Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Green, 50 Grit, Tapered, 3 in x % in, 40 Per Case	BP112
Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, Yellow, 80 Grit, Tapered, 3 in x % in, 40 Per Case	BP113
Scotch-Brite™ Roloc™ Bristle Disc RD-ZB, White, 120 Grit, Tapered, 3 in x % in, 40 Per Case	BP111





Scotch-Brite™ Radial Bristle Discs

Radial Bristle Discs create a uniform finish even around protrusions, detailed grooves, patterns and other hard to reach areas. Proprietary 3M™ Ceramic Abrasive Grain and moulded, flexible bristles provide more surface contact than wire brushes and maintain abrasive properties throughout the life of the disc. Our fast-running disc removes paint, stains, adhesives, weld burns, rust, heavy oxides, and surface contaminants from large areas. Help reduce your level of risk by switching from wire wheels to Scotch-Brite™ Bristle Discs.

Product Description	Tenaquip Part #
Scotch-Brite™ Radial Bristle Disc RB-ZB, Green, 50 Grit, 3 in x ¾ in, 40 Per Case	BP087
Scotch-Brite™ Radial Bristle Disc RB-ZB, Yellow, 80 Grit, 3 in x ¾ in, 40 Per Case	BP088
Scotch-Brite™ Radial Bristle Disc RB-ZB, White, 120 Grit, 3 in x % in, 40 Per Case	BP086









Grinding

From heavy to light metal removal, 3M has the right selection of grinding products for fast cut and long life. Make the daily grind easier with 3M™ Depressed Centre Grinding Wheels and 3M™ Fibre Discs.

3M[™] Silver Depressed Centre Grinding Wheels

The 3M™ Silver Depressed Centre Grinding Wheel is a Type 27 wheel designed to deliver an unbeatable combination of performance and value. This long-lasting wheel uses 3M™ Precision-Shaped Grain to deliver a fast and consistent cut during grinding and heavy stock removal on stainless steel, mild steel, aerospace alloys and more.

Product Description	Tenaquip Part #
3M™ Silver Depressed Centre Grinding Wheel, T27, 4½ in x¼ in x¾ in, 20 Per Case	NV212
3M™ Silver Depressed Centre Grinding Wheel, T27, 5 in x ¼ in x ⅓ in, 20 Per Case	NV213
3M™ Silver Depressed Centre Grinding Wheel, T27, 6 in x ¼ in x % in, 20 Per Case	NV214





Got a need for speed?

For an even faster cut rate, try 3M™ Cubitron™ II Depressed Centre Grinding Wheels and 3M™ Cubitron™ II Fibre Discs 982C and 987C.



3M™ Fibre Discs 782C

Engineered for rapid cut on carbon steel, 3M™ Fibre Disc 782C features 3M™ Precision-Shaped Grain. With its outstanding cut, durability, and ease of use, this disc offers a major step-up in performance over conventional fibre discs. Designed for tough applications including weld removal, beveling, blending and finish refinement.

Product Description	Tenaquip Part #
3M™ Fibre Disc 782C, 36+ Grit, 4 ½ in x % in, 100 Per Case	NV587
3M™ Fibre Disc 782C, 60+ Grit, 4 ½ in x ¾ in, 100 Per Case	NY197
3M™ Fibre Disc 782C, 80+ Grit, 4½ in x ¼ in, 100 Per Case	NV767
3M™ Fibre Disc 782C, 36+ Grit, 5 in x 1/2 in, 100 Per Case	NU992
3M™ Fibre Disc 782C, 60+ Grit, 5 in x ½ in, 100 Per Case	TCT477
3M™ Fibre Disc 782C, 80+ Grit, 5 in x 1/2 in, 100 Per Case	TCT478

3M™ Roloc™ Fibre Disc 782C

Product Description	Tenaquip Part #
3M™ Roloc™ Fibre Disc 782C, TR, 36+ Grit, 2 in, 200 Per Case	NV048
3M™ Roloc™ Fibre Disc 782C, TR, 60+ Grit, 2 in, 200 Per Case	NV049
3M™ Roloc™ Fibre Disc 782C, TR, 80+ Grit, 2 in, 200 Per Case	NV035
3M™ Roloc™ Fibre Disc 782C, TR, 36+ Grit, 3 in, 200 Per Case	NV155
3M™ Roloc™ Fibre Disc 782C, TR, 60+ Grit, 3 in, 200 Per Case	NV154
3M™ Roloc™ Fibre Disc 782C, TR, 80+ Grit, 3 in, 200 Per Case	NV158

3M™ Fibre Discs 787C

Engineered for rapid cut, 3M™ Fibre Disc 787C features 3M™ Precision-Shaped Grain. With its outstanding cut, durability, and ease of use, this disc offers a step-up in performance over conventional fibre discs. Constructed with a grinding aid to reduce grinding temperatures for heat sensitive metals including stainless steel and high nickel alloys. An excellent choice for weld removal, beveling, blending, and finish refinement.

Product Description	Tenaquip Part #
3M™ Fibre Disc 787C, 36+ Grit, 4 ½ in x ¾ in, 100 Per Case	NV037
3M™ Fibre Disc 787C, 60+ Grit, 4 ½ in x ¾ in, 100 Per Case	NV039
3M™ Fibre Disc 787C, 80+ Grit, 4 ½ in x ¾ in, 100 Per Case	NV042
3M™ Fibre Disc 787C, 120+ Grit, 4 ½ in x % in, 100 Per Case	NV045
3M™ Fibre Disc 787C, 36+ Grit, 5 in x % in, 100 Per Case	NV038
3M™ Fibre Disc 787C, 60+ Grit, 5 in x 1/2 in, 100 Per Case	NV040
3M™ Fibre Disc 787C, 80+ Grit, 5 in x 1/2 in, 100 Per Case	NV043
3M™ Fibre Disc 787C, 120+ Grit, 5 in x ¼ in, 100 Per Case	NV046






3M[™] Roloc[™] Fibre Discs 787C

Product Description	Tenaquip Part #
3M™ Roloc™ Fibre Disc 787C, TR, 36+ Grit, 2 in, 200 Per Case	TCT479
3M™ Roloc™ Fibre Disc 787C, TR, 60+ Grit, 2 in, 200 Per Case	TCT480
3M™ Roloc™ Fibre Disc 787C, TR, 80+ Grit, 2 in, 200 Per Case	TCT481
3M™ Roloc™ Fibre Disc 787C, TR, 120+ Grit, 2 in, 200 Per Case	NV156
3M™ Roloc™ Fibre Disc 787C, TR, 36+ Grit, 3 in, 200 Per Case	NV724
3M™ Roloc™ Fibre Disc 787C, TR, 60+ Grit, 3 in, 200 Per Case	TCT482
3M™ Roloc™ Fibre Disc 787C, TR, 80+ Grit, 3 in, 200 Per Case	TCT483
3M™ Roloc™ Fibre Disc 787C, TR, 120+ Grit, 3 in, 200 Per Case	NV157







Finishing

Choosing the right abrasive is critical to achieving the required finish as well as for future processes requiring good adhesion for paint, tapes and other coatings.

3M has finishing solutions for many tools including right angle grinders, disc sanders and file belt sanders. 3M™ Abrasives get the job done quickly and consistently.

3M[™] Flap Discs 769F

3M™ Flap Disc 769F is a high-performance abrasive disc built for versatility and value. Powered by 3M™ Precision-Shaped Grain, it lasts longer and cuts faster than conventional aluminum oxide and alumina zirconia flap discs. This unbeatable combination of performance and value can increase productivity while also lowering your abrasive spend.

3M™ Flap Discs 769F Type 27

Product Description	Tenaquip Part #
3M [™] Flap Disc 769F, T27, 40+ Grit, 4 ½ in x ⅓ in, 10 Per Case	NV670
3M [™] Flap Disc 769F, T27, 60+ Grit, 4 ½ in x ⅓ in, 10 Per Case	NV648
3M [™] Flap Disc 769F, T27, 80+ Grit, 4 ½ in x ⅓ in, 10 Per Case	NV660
3M [™] Flap Disc 769F, T27, 120+ Grit, 4 ½ in x % in, 10 Per Case	NV659
3M™ Flap Disc 769F, T27, 40+ Grit, 5 in x ½ in, 10 Per Case	NV658
3M [™] Flap Disc 769F, T27, 60+ Grit, 5 in x ¼ in, 10 Per Case	NV653
3M™ Flap Disc 769F, T27, 80+ Grit, 5 in x ¾ in, 10 Per Case	NV662
3M [™] Flap Disc 769F, T27, 120+ Grit, 5 in x 7/8 in, 10 Per Case	NV651

3M[™] Flap Discs 769F Type 29

Product Description	Tenaquip Part #
3M™ Flap Disc 769F, T29, 40+ Grit, 4 ½ in x ⅓ in, 10 Per Case	NV654
3M [™] Flap Disc 769F, T29, 60+ Grit, 4 ½ in x % in, 10 Per Case	NV643
3M™ Flap Disc 769F, T29, 80+ Grit, 4 ½ in x % in, 10 Per Case	NV652
3M [™] Flap Disc 769F, T29, 120+ Grit, 4 ½ in x % in, 10 Per Case	NV656
3M™ Flap Disc 769F, T29, 40+ Grit, 5 in x ¼ in, 10 Per Case	NV647
3M [™] Flap Disc 769F, T29, 60+ Grit, 5 in x ¾ in, 10 Per Case	NV663
3M [™] Flap Disc 769F, T29, 80+ Grit, 5 in x ¼ in, 10 Per Case	NV625
3M [™] Flap Disc 769F, T29, 120+ Grit, 5 in x % in, 10 Per Case	NV665





Scotch-Brite[™] Surface Conditioning Discs

Scotch-Brite™ Surface Conditioning Discs come in a wide variety of grades and sizes, and are an ideal first step for cleaning, blending, deburring and finishing. Durable, non-woven fibre construction conforms well on irregular or contoured surfaces without undercutting or damaging the base material.

Scotch-Brite™ Hook & Loop Surface Conditioning Discs

Scotch-Brite™ Surface Conditioning Discs are best for finishing, cleaning and light deburring on flat metal surfaces.

Product Description	Tenaquip Part #
Scotch-Brite™ Surface Conditioning Disc SC-DH, A VFN, Blue, 4 ½ in X NH, 50 Per Case	TCT484
Scotch-Brite™ Surface Conditioning Disc SC-DH, A MED, Maroon, 4 ½ in X NH, 50 Per Case	TCT485
Scotch-Brite™ Surface Conditioning Disc SC-DH, A CRS, Brown, 4 ½ in X NH, 50 Per Case	BP369
Scotch-Brite™ Surface Conditioning Disc SC-DH, A VFN, Blue, 5 in x NH, 50 Per Case	BP387
Scotch-Brite™ Surface Conditioning Disc SC-DH, A MED, Maroon, 5 in x NH, 50 Per Case	BP383
Scotch-Brite™ Surface Conditioning Disc SC-DH, A CRS, Brown, 5 in x NH, 50 Per Case	BP382





Scotch-Brite[™] Roloc[™] Surface Conditioning Discs

Product Description	Tenaquip Part #
Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, A VFN, TR, Green, 2 in x NH, 200 Per Case	BP398
Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, A MED, TR, Maroon, 2 in x NH, 200 Per Case	BP397
Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, A CRS, TR, Brown, 2 in x NH, 200 Per Case	BP396
Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, A VFN, TR, Green, 3 in x NH, 100 Per Case	BP403
Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, A MED, TR, Maroon, 3 in x NH, 100 Per Case	BP401
Scotch-Brite™ Roloc™ Surface Conditioning Disc SC-DR, A CRS, TR, Brown, 3 in x NH, 100 Per Case	BP400





3M™ Cubitron™ II Cloth Belts 784F

3M™ Cubitron™ II Cloth Belt 784F features 3M™ Precision-Shaped Grain for longer life and a faster, more consistent cut than conventional ceramic aluminum oxide belts. A mix of shaped ceramic and premium aluminum oxide delivers optimal cut in medium-pressure grinding and blending applications.

Product Description	Tenaquip Part #
3M™ Cubitron™ II Cloth Belt 784F, 36+ Grit, YF-Weight, ½ in x 18 in, 200 Per Case	TCT486
3M™ Cubitron™ II Cloth Belt 784F, 50+ Grit, YF-Weight, ½ in x 18 in, 200 Per Case	TCT487
3M™ Cubitron™ II Cloth Belt 784F, 60+ Grit, YF-Weight, ½ in x 18 in, 200 Per Case	TCT488
3M™ Cubitron™ II Cloth Belt 784F, 80+ Grit, YF-Weight, ½ in x 18 in, 200 Per Case	TCT489
3M™ Cubitron™ II Cloth Belt 784F, 120+ Grit, XF-Weight, ½ in x 18 in, 200 Per Case	TCT490





Scotch-Brite[™] Surface Conditioning Belts

The Scotch-Brite[™] SC Surface Conditioning Belt is a durable belt engineered to perform detail work such as blending, finishing and deburring.

Product Description	Tenaquip Part #
Scotch-Brite™ Surface Conditioning Belt SC-BS, A VFN, Blue, ½ in x 18 in, 20 Per Case	BP063
Scotch-Brite [™] Surface Conditioning Belt SC-BS, A MED, Maroon, ½ in x 18 in, 20 Per Case	BP062
Scotch-Brite™ Surface Conditioning Belt SC-BS, A CRS, Brown, ½ in x 18 in, 20 Per Case	BP061





Scotch-Brite[™] Hand Pads

Scotch-Brite™ Hand Pads combine flexibility with effective cutting action and precise hand control to accomplish tough cleaning jobs or produce fine finishing results, use after use.

Product Description	Tenaquip Part#
Scotch-Brite™ Ultra Fine Hand Pad 7448 HP-HP, Grey, 6 in x 9 in, 20 Pads/Box, 3 Boxes/Case	BP492
Scotch-Brite™ General Purpose Hand Pad 7447 HP-HP, Maroon, 6 in x 9 in, 20 Pads/Box, 3 Boxes/Case	BP484
Scotch-Brite™ Heavy Duty Hand Pad 7440 HP-HP, Tan, 6 in x 9 in, 20 Pads/Box, 2 Boxes/Case	BP486

Scotch-Brite™ PRO Hand Pads

Scotch-Brite™ PRO Hand Pads feature a breakthrough fibre coating that gives a faster cut rate and more consistent scratch pattern than competing non-woven hand pads, and reduces time and effort when finishing parts.

Product Description	Tenaquip Part #
Scotch-Brite™ PRO Hand Pad 7448 HP-HP, Grey, 6 in x 9 in, 20 Pads/Box, 3 Boxes/Case	NY008
Scotch-Brite™ PRO Hand Pad 7447 HP-HP, Maroon, 6 in x 9 in, 20 Pads/Box, 3 Boxes/Case	NU902









Cutting and Notching

Make your cutting and notching processes fast, smooth and precise with 3M™ Cut-Off and Cut and Grind Wheels, ensuring your project is a cut above the rest.

3M™ Silver Cut-Off Wheels

The 3M™ Silver Cut-Off Wheel is designed to deliver a combination of performance and value in metal cutting applications. This long-lasting wheel uses 3M™ Precision-Shaped Grain to deliver a fast and consistent cut through stainless steel, mild steel, aerospace alloys, and more.

0.04 in thick

Product Description	Tenaquip Part #
3M™ Silver Cut-Off Wheel, T1, 4 ½ in x 0.04 in x % in, 50 Per Case	NV202

0.045 in thick

Product Description	Tenaquip Part #
3M™ Silver Cut-Off Wheel, T1, 4 ½ in x 0.045 in x % in, 50 Per Case	NV203
3M [™] Silver Cut-Off Wheel, T1, 5 in x 0.045 in x ¾ in, 50 Per Case	NV204
3M [™] Silver Cut-Off Wheel, T1, 6 in x 0.045 in x ½ in, 50 Per Case	NV205
3M [™] Silver Cut-Off Wheel, T27, 4 ½ in x 0.045 in x % in, 50 Per Case	NV207
3M [™] Silver Cut-Off Wheel, T27, 5 in x 0.045 in x ¾ in, 50 Per Case	NV208
3M [™] Silver Cut-Off Wheel, T27, 6 in x 0.045 in x % in, 50 Per Case	NV209





3M™ Cut and Grind Wheels

3M[™] Cut and Grind Wheels harness the power of 3M[™] Precision-Shaped Grain at an affordable price. These versatile wheels are designed for notching and grinding, so you can power through a wide range of tough jobs.

Product Description	Tenaquip Part #
3M™ Cut and Grind Wheel, T27, 4 ½ in x % in x % in, 20 Per Case	TCS990
3M™ Cut and Grind Wheel, T27, 5 in x 1/2 in x 1/2 in, 20 Per Case	TCS991
3M™ Cut and Grind Wheel, T27, 6 in x ½ in x ½ in, 20 Per Case	TCS992
3M™ Cut and Grind Wheel, T27, 7 in x ½ in x ½ in, 20 Per Case	TCS993





Got a need for speed?

For an even faster cut rate, try 3M™ Cubitron™ II Cut-Off Wheels and 3M™ Cubitron™ II Cut and Grind Wheels.





Deburring

Smooth out rough edges and remove burrs with the Scotch-Brite[™] product family of deburring wheels. For both stationary equipment and portable tools, there's a wheel suited to the job. No matter the size of the work, eliminate flaws and imperfections before moving on to the next stage in your process.

burring

Scotch-Brite™ EXL Deburring Wheels

The Scotch-Brite™ EXL Deburring Wheel deburrs and finishes, leaving behind a clean, professional finish without smearing. Featuring a non-woven, convolute-construction, this wheel is an ideal tool for deburring, finishing, and polishing all types of metals, composites, and glass.

Product Description	Tenaquip Part #
Scotch-Brite™ EXL Deburring Wheel XL-WL, 8A MED, 6 in x 1 in x 1 in, 3 Per Case	BP690
Scotch-Brite™ EXL Deburring Wheel XL-WL, 9S FIN, 6 in x 1 in x 1 in, 3 Per Case	BP693
Scotch-Brite™ EXL Deburring Wheel XL-WL, 8A MED, 8 in x 1 in x 3 in, 3 Per Case	BP697
Scotch-Brite™ EXL Deburring Wheel XL-WL, 9S FIN, 8 in x 1 in x 3 in, 3 Per Case	BP700





Scotch-Brite™ Roloc™ Deburr and Finish PRO Unitized Wheels

Scotch-Brite™ Roloc™ Deburr and Finish PRO Unitized Wheels are designed to make a variety of metalworking applications easier and more efficient. These multi-purpose wheels are engineered for deburring, finishing and blending with a portable tool.

Product Description	Tenaquip Part #
Scotch-Brite™ Roloc™ Deburr and Finish PRO TR Unitized Wheel DP-UR, 4C MED+, 2 in x ¼ in x NH, 60 Per Case	TCT491
Scotch-Brite™ Roloc™ Deburr and Finish PRO TR Unitized Wheel DP-UR, 6C MED+, 2 in x 1/2 in x NH, 60 Per Case	TCT492
Scotch-Brite™ Roloc™ Deburr and Finish PRO TR Unitized Wheel DP-UR, 8C CRS+, 2 in x ¼ in x NH, 40 Per Case	TCT493
Scotch-Brite™ Roloc™ Deburr and Finish PRO TR Unitized Wheel DP-UR, 6C MED+, 3 in x 1/8 in x NH, 60 Per Case	TCT494
Scotch-Brite™ Roloc™ Deburr and Finish PRO TR Unitized Wheel DP-UR, 6C MED+, 3 in x ¼ in x NH, 40 Per Case	TCT495
Scotch-Brite™ Roloc™ Deburr and Finish PRO TR Unitized Wheel DP-UR, 8C CRS+, 3 in x 1/2 in x NH, 10 Per Case	TCT496







Got a need for speed?
 For an even faster cut rate,
 try 3M™ Cubitron™ II Abrasives.

For more information please visit 3M.ca/Cubitron-II-Abrasives



3M Abrasive Systems Division 3M Canada P.O. Box 5757 London, ON N6A 4T1 1-800-364-3577 3M.ca/Metalworking

Available through:



1-800-661-2400 info@tenaquip.com tenaquip.com